

A Sensory Dissonance Tracing Software

Anna Terzaroli

Conservatorio Santa Cecilia, Rome - Italy
anna.terzaroli@gmail.com

Abstract. The purpose of my research is to obtain a graph of Sensory Dissonance of a given music. This graph is detected and representable measure by measure in a music score, thanks to a software that reads a MusicXML file (score) and a text file (list of the physical audio start and end points of each measure in the analyzed score) and analyzes an audio signal (physical counterpart of the score). Sensory Dissonance (SD) is a term to indicate the really perceived dissonance.

Keywords: Music Information Retrieval, Music representation, Music analysis, Sensory Dissonance.

1 Introduction

As indicated by Richard Parncutt [1], it has always been fundamentally problematic to distinguish the cultural, learned or top-down vs. the innate, sensory, or bottom-up aspects of what consonance is.

He claims that the boundary between the sensory and cultural is not clearly defined and it is difficult to determine the boundaries of culture because of a lack of study and data related to the issue.

In addition to that, a quantifiable component of dissonance in a musical sonority should also be linked to the experience and preference of the listeners. Also there have been and there still are several names and definitions associated with the notion of dissonance, thus generating confusion. Among them: dissonance, roughness, sensory dissonance and tonal consonance.

There have been historical attempts to define and quantify dissonance since very ancient times. The scientist-philosopher Pythagoras, in the 6th century B.C.E., has been credited with the first attempt to quantify dissonance.

Around 1638, Galileo Galilei made statements in accordance with the thesis of Pythagoras [2].

In the 17th century, Gottfried Leibniz, the coinventor of infinitesimal calculus, thought that the consonance and the Beauty were linked and that humans unconsciously calculate the frequency ratios that describe musical intervals [3].

In the 18th century, the mathematician Leonhard Euler suggested that consonance is a composite sound that comes from more simple sounds together. So, the consonance term loses its positive value linked to the pleasure that generates.

In the 19th century, Hermann von Helmholtz's "On the Sensations of Tone" introduced the ear as a spectral analyzer. Helmholtz's writings assumed that all listeners judged dissonance the same way [4, 5]. Psychoacoustics, the study of subjective human perception of sound, greatly evolves in the 20th century.

Harvey Fletcher [6] linked frequency-place coordinates of the Békésy cochlear map [7] (continuing and improving the Helmholtz's intuition) to experimental data from frequency discrimination and masking experiments.

Harvey Fletcher showed that there is a close correspondence between distances along the basilar membrane and regions of masking. In pursuing this research, Fletcher defined a hypothetical entity dubbed critical band to denote frequency-domain regions of roughly equivalent or proportional behavior.

Donald D. Greenwood [8] extended Fletcher's work by comparing psychoacoustic measures of critical bandwidth with the frequency position coordinates of the Békésy-Skarstein cochlear map. Furthermore, Greenwood showed that Mayer's data correspond almost precisely with changes of critical bandwidth with respect to frequency.

Mayer had collected experimental data (1894) where listeners were instructed to identify the smallest possible interval free of roughness or dissonance. This interval is not constant with respect to log frequency as implied in traditional music theory.

Plomp and Levelt [9] extended Greenwood's work linking the perception of "tonal consonance" to the critical band and hence to the mechanics of the basilar membrane.

Many psychoacousticians have tended to assume that the auditory periphery provides the most important role in consonance and dissonance perception.

Since the human hearing organ does not change much around the world, psychoacousticians assume there is no need to repeat experiments with people from different cultures.

By contrast, many ethnomusicologists have tended to assume that the differences in perception between cultures are clearly obvious.

The existing experimental evidence is mixed. Some experiments imply that judgements of consonance and dissonance are sensitive to cultural background whereas other evidence implies that such judgements are not especially sensitive to cultural background.

In the last century, the experiments on the determination of the critical band were many and have led, among other results, to the adoption of a particular scale of the critical band measurement, called the Bark scale [10], covering the frequency portion of the spectrum audible by humans.

All theories about dissonance that have occurred over the years can be included in these main groups: Acoustic theories started by Pythagoras, Psychophysical theories based on psychophysiological aspects of the auditory system, such as the influence of the basilar membrane. Furthermore, there are the Cognitive theories and the Enculturation theories.

The definitions of dissonance have been and still are many and different from each other.

Roughness is the feeling of harsh sound which is produced by two sinusoids whose frequency is close enough after the phenomenon of beats has been already heard and before the two sinusoids are perceived as completely distinct sounds of each other.

If dissonance is called dissonance, it is treated as a cultural phenomenon, namely the type of dissonance that is recognized as such in some musical worlds but not in

others. In this case the sound as a physical and mathematical phenomenon is left aside.


The name tonal dissonance is opposed to tonal consonance. The latter is defined as the singular nature of those tone intervals characterized by frequential relations equal to small integers. Finally, sensory dissonance is a term introduced by Helmholtz in 1877 to indicate the perceived dissonance, connected to those sensory factors which Helmholtz was the first to study.

2 Methods

This research investigates the possibility of realization of a software written in the Ruby programming language that, given a score, or a fragment of the score, is able to detect the presence of dissonance understood as Sensory Dissonance, to quantify the dissonance and then to draw a plot of the traced dissonance.

The tool is constructed from the Sensory Dissonance model in Essentia 2.0 library [11]¹. Sensory Dissonance in Essentia is considered a MIR (Music Information Retrieval) descriptor and a spectral descriptor as stated in the documentation [12].

Whithin Essentia, the Sensory Dissonance is defined as following: *“This algorithm calculates the Sensory Dissonance (to distinguish from musical or theoretical dissonance) of an audio signal given its spectral peaks. Sensory Dissonance measures perceptual roughness of the sound and is based on the roughness of its spectral peaks. Given the spectral peaks, the algorithm estimates the total dissonance by summing up the dissonance normalized values for each pair of peaks. These values are computed using dissonance curves, which define dissonance between two spectral peaks according to functional their frequency and amplitude relations. The dissonance curves are based on perceptual experiments conducted in (1). Exceptions are thrown When the size of the input vectors are not equal or if the input frequencies are not ordered ascendantly...”* where (1) is referred to [9].



¹ Essentia 2.0 is an open-source C++ library for audio based music information retrieval analysis and audio released under the Affero GPL license.

Fig. 1. Dissonance curve used in Essentia 2.0 (Octave plot).

Since we have chosen to use the Ruby language for the construction of the `d_plot` tool (the Sensory Dissonance tracing software) we focus on the only tool that uses this language: MARSYAS, developed by George Tzanetakis. However, the MARSYAS tool is originally written in C++; a Ruby binding exists, generated through the SWIG tool, but it does not feature an implementation of the calculation of the SD. Thus, the MARSYAS tool was deemed not fit to the purpose of this work.

Given the relative ease of binding Java libraries in Ruby some other tools were taken into account: tools that are written in Java or those that, despite being written in another language, already have a binding in Java.

For example, the tool `jAudio/jMIR`. But also this tool does not feature the SD calculation.

This research considered also the only other tool that is written in Java: `libXtract`. Unfortunately this tool too does not provide a SD calculation algorithm.

The `PureData` and the `Max/MSP` environments feature a dissonance model. However, the SD is identified with the roughness.

In `SuperCollider` there is an implementation of the calculation of the SD [13] through the `Dissonance` class. Thus, the choice of the proper SD algorithm to be linked to `d_plot` reduces to two possible working environments: the `Essentia` library and `SuperCollider`. From a comparison between the two, it was possible to note that the calculation of the `SuperCollider` SD does not follow the Plomp-Levelt model of critical bandwidth, which the author of this research deems to be the most precise approximation to date. Therefore, the choice reduced itself in the end to the `Essentia` SD model.




Fig. 2. Dissonance curve used in Supercollider (Octave plot).

2.1 Operating mechanism

Three different files are the input of `d_plot`: the first file is a XML file, the second file is in txt format and the third file is in mp3 format (or any other audio format).

`d_plot` outputs a file that is a plot. This term indicates a representation, through a graph, of the dissonance detected by the tool, on the basis of the input data.

The XML format is the abbreviation for Extensible Markup Language. Infact XML format allows the structural and semantic representation of the information. Files that are in this extension therefore contain information and data, written in standard ASCII text. XML is an extensible language because its tags (unlike, for example, in the HTML language) are not limited. XML is, finally, a marker descriptive type of language (and not procedural): the readability of the informations is more important than their representation and readability and representation are kept separately.

The XML subset used in this specific case is MusicXML, a standard for sharing scores that can be imported by various notational softwares and others.

MusicXML is a specific XML encoding with which the Western classical notation can be represented. Developed by Recordare LLC, it is released as a open format with a variant of the GNU GPL license, the MusicXML public license. Thanks to the file in XML format, `d_plot` takes the score as input.

The txt file provides `d_plot` a list, in text format that feature the physical audio start and end points of each measure in the analyzed score.

Mp3 (Moving Picture Experts Group-1/2 Audio Layer 3, also known as MPEG-1 Audio Layer III and MPEG-2 Audio Layer III) is an audio compression lossy algorithm, developed, in the late 90s, by the MPEG group, able to drastically reduce the amount of data required to store a sound, while remaining an acceptably faithful reproduction of the original uncompressed file.

The audio file reader allows `d_plot` to analyze a physical audio signal. Analyzing the physical counterpart of the score (that is, the audio file) is an important point because the dissonance type taken into consideration here, the Sensory Dissonance, is mainly based on the perception of played and listened music. The output file consists of a graph of Sensory Dissonance, detected from the audio signal and representable, measure by measure, thanks to the MusicXML file and text file.

Considering a notation that does not involve the use of measures, a further development of `d_plot` can be implemented representing the Sensory Dissonance graph, line by line. This is essentially a plot in which the time axis is scaled from measure to measure according to the actual graphic distance present in the score, so that the plot can augment the score directly with the Sensory Dissonance information.

It is a well known fact that scores adjust the width of each measure according to a considerable number of factors (note density, number of voices, page turns, etc.) so this implies that the plotting system must take the measure spacing into consideration when mapping between time and space.

`d_plot` consists, inside, of three readers (for the three input files) and of an aggregator which collects all the data coming from the input and make sense out of it.

From the moment `d_plot` receives the input files, the implementation involves the following steps: concerning the audio, the audio file is loaded, reduced to mono and/or resampled if necessary. It is divided into frames and it is windowed using Hamming window. Then the FFT of each frame is calculated and its spectral peaks are detected. The outputs of these operation are two vectors, the frequencies and their magnitudes. These two vectors are then fed into the dissonance algorithm.

The dissonance algorithm returns one single value of dissonance for each frame.

Since the MusicXML files feature a measure width in pixels along with a scaling factor, their measures are saved into the aggregator already converted in millimeters. In the labeling txt file the measures are described by their time position in the audio file.

The aggregator algorithm considers each measure and, among all values of dissonance, it considers only those values included in each measure.

A time/space conversion is operated, that is, every time label is positioned in a space calculated according to the width of each measure.

The time axis is not the same for every measure, the time/ space ratio is not always the same.

The values of dissonance mapped in space are fed to the pic software through an output driver. Pic draws the curves in the provided space. These curves are spline functions [14]. In mathematical analysis, a spline is a function, constituted by a set of polynomials connected each other, the purpose of which is to interpolate an interval in a set of points (called nodes of the spline), in such a way that the function is continuous at least up to a given order of derivative in every point of the interval.

Pic is a preprocessor for the Troff typesetting system [15], through which it is possible to obtain images from a text description. The original pic program was written by Brian Kernighan, as a complement to the Troff software by Joseph Ossanna; it was subsequently rewritten by Kernighan, with substantial improvements. The language takes its inspiration from the older graphical languages such as Ideal and Grap. All the code of the d_plot tool is available at www.github.com/aterza/d_plot.

3 Conclusions

d_plot produces a graphic function according to audio (and .xml and .txt files related to audio) received as input.

The x values represent the measure number, the y values indicate the degree of dissonance.

The obtained function is continuous in time.

The graphic function of dissonance can be placed under the sound which it relates and the music signal may be written according to the western notation system, which uses, in this case, the measures.

The obtained curve does not only provide information concerning the degree of dissonance: it also allows a deeper reading of the entire musical work that is analyzed by the d_plot tool.

In fact, by inspecting the curve repetitions of function portions may be noticed. The latter case would mean that there are parts of the analyzed music that are equal or very similar concerning the dissonance factor, while their musical content might be considerably different.

Thus, it might be interesting to compare similar sections according to the dissonance parameter and observe if they are different or even equal in terms of other parameters. For example, a strong similarity from the dissonance content point of view may be found, as opposed to an almost total difference from the tonal content point of view or from the use of meter or from the use of the registers point of view.

The opposite case may also occur. In contrast, the similarity or non similarity of the degree of dissonance may be consistent with the values of other musical parameters.

Knowing this information, the authors compositional mode can be better understood.

The musical material for the first practical application of the `d_plot` tool is a selection of measures from the Chamber Symphony Op.9, No.1 by Arnold Schoenberg.

Performed for the first time in 1907, this work represents a moment of transition in the history of music. While it moves even within the constraints of Romanticism, at the same time it tries to break free from tradition. Right from the start, the tonality is strongly attenuated by a melodic movement free of semitones and by a succession of fourth intervals.

Kammersymphonie, Op. 9




Fig. 3. Chamber Symphony Op.9, No.1 - plot.

Figure 3 shows the piano arrangement of Schoenberg's piece, the SD plot below refers to the piece played by the ensemble originally intended by the author.

A fairly precise alternation between dissonance and consonance seems to characterize the opening bars of the Chamber Symphony.

It's interesting to note that the same level of consonance, indicated in the plot with the black line on the bottom of the graph, is not caused by the use of the same notes or by the use of the same chords. Similarly, the dissonance peaks that are repeated almost with a certain order are not caused by the same notes or chords. The information provided by `d_plot` thus represents an addition to what is reported in the traditional score.

Another selection of fragments that will be submitted to the analysis of the dissonance made by `d_plot` comes from Etude Op. 8, No. 12 by Aleksandr Skrjabin.

Unlike the Schoenberg's material, the tonal harmony is here fully respected.

Figure 4 shows the score and the relative dissonance plot by `d_plot` concerning Skrjabin's Op.8, No.12.

The plot shows how the dissonance increases in the cadential points. This is a coherent information with what could be expected, knowing the musical works reference style. However, the plot returns the information in a more direct and simple way through a visual plot.




Fig. 4. Etude Op.8, No.12 (an extract) - plot.

Moreover, it is very important that the graph also provides a quantification of the dissonance, so that how much dissonance is present in every cadential point is made clear to the reader.

Acknowledgments. This paper is taken from the author's Master's Degree thesis in Electronic Music [16]. I wish to thank the supervisor Nicola Bernardini, one Chair of the Electronic Music School of the Santa Cecilia Conservatory in Rome, with whom I have the honor to collaborate in some projects.

References

1. R. Parncutt, "Commentary of Keith Mashinter's "Calculating Sensory Dissonance: Some Discrepancies Arising from the Models of Kameoka & Kuriyagawa, and Hutchinson & Knopoff."," *Empirical Musicology Review*, Vol. 1, No. 4, pp. 201–203, 2006.
2. G. Galilei, "Discorsi e dimostrazioni intorno a due nuove scienze," 1638, Cierre Grafica, 2011.
3. E. G. Bugg, "A criticism of Leibniz's Theory of Consonance," *The Journal of Aesthetics and Art Criticism*, Vol. 21, No. 4, pp. 467–472, 1963.
4. H.L.F.Helmholtz, *On the sensations of tone as a physiological basis for the theory of music*. New York: Dover, 1885.
5. H. L. Helmholtz, *Die Lehre von den Tonempfindungen als Physiologische Grundlage für die Theorie der Musik*. Vieweg: Braunschweig, 1863.
6. H. Fletcher, *Effects of Filtering and Masking*. Van Nostrand, 1953.
7. G. Békésy, *Experiments in Hearing*. New York: Mc Graw Hill, 1960.
8. D. Greenwood, "Critical bandwidth and the frequency coordinates of the basilar membrane," *Journal of the Acoustical Society of America*, Vol. 33, No. 10, pp. 1344–1356, 1961b.
9. R. Plomp and W. J. M. Levelt, "Tonal consonance and critical bandwidth," *Journal of the Acoustical Society of America*, Vol. 38, pp. 548–560, 1965.
10. Bark-scale, https://ccrma.stanford.edu/~jos/bbt/Bark_Frequency_Scale.html, last viewed 28-04-16.
11. D. Bogdanov, N. Wack, and E. Gomez, "ESSENTIA: an Open-Source Library for Sound and Music Analysis," *Proceedings of the 21st ACM international conference on Multimedia*, pp. 855–858, 2013.
12. Essentia-documentation, http://essentia.upf.edu/documentation/algorithms_overview.html, last viewed 28-04-16.
13. Supercollider-dissonance, <https://github.com/supercollider/sc3-plugins/blob/936733929684441e36842a6a55796c5ddebdb774/source/SCMIRUGens/SensoryDissonance.cpp>, last viewed 28-04-16.
14. Spline-curve, http://www.math.ucla.edu/~baker/149.1.02w/handouts/dd_splines.pdf, last viewed 28-04-16.
15. B. W. Kernighan, "Pic - a graphics language for type- setting (revised user manual) in "Bell Labs Computing Science Technical Report" n. 116," 1991.
16. A. Terzaroli, "Dissonance notation. Towards a notion of augmented score," 2016, MA degree thesis in Electronic Music.
17. J. R. Pierce, *La scienza del suono*. Bologna: Zanichelli, 1987.
18. J. Voos, *The perception of pure and tempered musical intervals*, 1987.
19. H. Fastl and E. Zwicker, *Psychoacoustics. Facts and Models*. Berlin Heidelberg: Springer-Verlag, 1990.

20. N. Cazden, "The definition of consonance and dissonance," *International Review of the Aesthetics and Sociology of Music*, Vol. 11, No. 2, pp. 123–168, 1980.
21. J. MacCallum and A. Einbond, *Real-Time Analysis of Sensory Dissonance*. Berlin Heidelberg: Springer-Verlag, LNCS 4969, pp. 203–211, 2008.
22. R. W. Lundin, "Toward a cultural theory of consonance," *Journal of Psychology*, Vol. 23, pp. 45–49, 1947.
23. M. Guernsey, "The role of consonance and dissonance in music," *American Journal of Psychology*, Vol. 40, pp. 173–204, 1928.